

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:49
L2	266	L1 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:42
L3	39	2 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L4	122	L1 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:42
L5	14	4 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L6	1362	selective\$2 near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L7	8	6 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:47
L8	31997	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (procedure\$1 or code or instruction\$1 or function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:50
L9	8309	(execut\$4 or run\$4) near2 (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:51
L10	217	8 same 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:51

L11	83	8 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:52
L12	2	10 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:53
L13	2	11 with selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:55
L14	5	10 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:04
L15	0	11 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:56
L16	11	8 same (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:03
L17	10	8 with (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:59
L18	114	1 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L19	42	1 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:01
L20	3	18 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:02

L21	2	19 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:02
L22	0	6 same (dual adj boot\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:03
L23	18	6 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:06
L24	8	6 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:04
L25	32657	different near2 memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:07
L26	1	6 same 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:07
S1	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:09
S2	12571	multi adj processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10
S3	36	S1 same S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10
S4	24	S1 with S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:10

S5	6	(S3 or S4) same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S6	6	S5 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 08:35
S7	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:55
S8	105	S7 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:44
S9	12571	multi adj processor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S10	0	S8 same S9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:22
S11	3	S8 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:26
S12	36072	(multi adj processor\$1) or multiprocessor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S13	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:18
S14	75	S13 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19

S15	62	S13 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S16	10	(S14 or S15) same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:19
S17	10	S16 same memor\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:20
S18	3	S8 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:28
S19	38	S8 same (volatile adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:29
S20	3	S19 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:28
S21	10	S16 same (volatile adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:35
S22	114	S7 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50
S23	42	S7 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:43
S24	4	S22 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50

S25	0	S23 with (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:44
S26	1512	boot adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:48
S27	2780	(boot or initializ\$5) adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:49
S28	720	(load\$3 or stor\$3) near2 S27	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:50
S29	174	S28 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:58
S30	87	S29 same (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:52
S31	61	S28 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:51
S32	12	S31 with (((non adj volatile) or flash) adj memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 11:51
S33	144	S29 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:37
S34	29	S31 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:19

S35	7	S33 same (selective\$2 or alternative\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:55
S36	2	S34 with (selective\$2 or alternative\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:36
S37	0	S33 same S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S38	0	S34 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S39	0	S33 same S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:33
S40	0	S33 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S41	0	S34 with ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:34
S42	39	S22 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:59
S43	14	S23 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:45
S44	1	S33 same (user adj select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:56

S45	0	S34 with (user adj select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:57
S46	397	(user adj select\$4) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:58
S47	12	S46 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:42
S48	4	S46 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 12:59
S49	2	S47 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:40
S50	1	S48 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:00
S51	68	S13 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 15:41
S52	34	S13 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:05
S53	36	S51 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:46
S54	2	S52 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:06



S55	407	(boot\$3 or initializ\$5 or bootstrap\$4) near5 ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:31
S56	38	S55 same master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S57	8	S56 same slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34
S58	26	S55 with master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:28
S59	5	S58 with slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:29
S60	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:32
S61	4281	S60 same (multiple or many or more or plurality or multi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S62	1418	S60 with (multiple or many or more or plurality or multi)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:33
S63	219	S61 same master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:40
S64	73	S63 same slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34

S65	54	S62 with master	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:34
S66	13	S65 with slave\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:35
S67	2800	((bootstrap or (boot adj strap)) adj (processor\$1 or microprocessor\$1 or CPU\$1)) or BSP\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:35
S68	71	S61 same S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:40
S69	53	S62 with S67	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S70	2780	(boot or initializ\$5) adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S71	720	(load\$3 or stor\$3) near2 S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:41
S72	4	S68 same S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:43
S73	1	S69 with S71	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:44
S74	4	S68 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:36

S75	2	S74 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:37
S76	0	S69 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:47
S77	8	S69 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 13:48
S78	44	("5450576").URPN.	USPAT	OR	OFF	2005/01/06 14:03
S79	23	("5596738").URPN.	USPAT	OR	OFF	2005/01/06 14:22
S80	25	("5659748").URPN.	USPAT	OR	OFF	2005/01/06 14:26
S81	19	("5724527").URPN.	USPAT	OR	OFF	2005/01/06 14:30
S82	12	("5790850").URPN.	USPAT	OR	OFF	2005/01/06 14:34
S83	27	("5835760").URPN.	USPAT	OR	OFF	2005/01/06 14:38
S84	9	("5904733").URPN.	USPAT	OR	OFF	2005/01/06 14:51
S85	1	("6055631").URPN.	USPAT	OR	OFF	2005/01/06 14:55
S86	14	("4621363"   "4752870"   "4885770"   "4943911"   "5280627"   "5325529"   "5367688"   "5452454"   "5497492"   "5590340"   "5668977"   "5689654"   "5822405"   "5822582").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 14:55
S87	17	("4631701"   "4649505"   "4720812"   "5319574"   "5333273"   "5388267"   "5408624"   "5432927"   "5463766"   "5551045"   "5564054"   "5699546"   "5701492"   "5784611"   "5822581"   "5884055"   "5960445").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 14:59
S88	7	("5155837"   "5257380"   "5327531"   "5473775"   "5522076"   "5579522"   "5774554").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:04
S89	14	("5450576"   "5495569"   "5642506"   "5673388"   "5675772"   "5724527"   "5758325"   "5768585"   "5790850"   "5860002"   "5862151"   "5867702"   "5904733"   "6009521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:07
S90	5	("5136713"   "5210875"   "5517646"   "5999476"   "6047373").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:09

S91	15	("5016009"   "5022077"   "5136713"   "5187792"   "5193170"   "5202994"   "5210875"   "5355498"   "5423019"   "5455933"   "5481701"   "5491790"   "5530847"   "5559978"   "5574927").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:12
S92	24	("5430845"   "5671413"   "5680556"   "5835760"   "5836013"   "5841953"   "5901310"   "5905888"   "5951684"   "5951685"   "6003103"   "6009520"   "6061745"   "6145078"   "6173381"   "6182213"   "6216225"   "6282644"   "6282647"   "6298422"   "6370631"   "6393492"   "6401198"   "6434695").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:16
S93	4	("5669002"   "5673388"   "5724527"   "6108781").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:21
S94	3	("4752870"   "6101598"   "6253233").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:22
S95	4	("5694538"   "5829013"   "6081890"   "6594723").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:26
S96	9	("5408661"   "5579300"   "5687947"   "6081890"   "6366654"   "6400471"   "6553426"   "6584573"   "6594756").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:27
S97	8	("5951683").URPN.	USPAT	OR	OFF	2005/01/06 15:32
S98	8	("5951683").URPN.	USPAT	OR	OFF	2005/01/06 15:34
S99	10	("4634110"   "4648035"   "4674033"   "4954945"   "5257372"   "5418955"   "5465360"   "5491788"   "5568617"   "5583987").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:35
S10 0	15	("5623610"   "5680113"   "5715475"   "5724527"   "5991831"   "6009480"   "6011781"   "6108752"   "6108781"   "6295573"   "6389029"   "6389495"   "6389526"   "6496503"   "6560654").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:40

S10 1	46	("4181940"   "4268904"   "4271468"   "4276594"   "4561051"   "4745545"   "4754398"   "4796176"   "4893234"   "4901230"   "5043882"   "5179707"   "5202970"   "5247637"   "5283904"   "5367690"   "5410710"   "5423049"   "5428783"   "5428803"   "5446910"   "5448716"   "5450576"   "5491788"   "5495615"   "5507032"   "5511200"   "5524209"   "5555420"   "5579505"   "5583987"   "5596759"   "5669002"   "5721931"   "5724527"   "5758169"   "5768585"   "5778236"   "5784630"   "5805883"   "5864781"   "5889983"   "6009521"   "6112282"   "6188381"   "6237019").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:43
S10 2	5	("6012142").URPN.	USPAT	OR	OFF	2005/01/06 15:47
S10 3	8	("5070450"   "5117486"   "5173933"   "5233654"   "5257377"   "5450576"   "5659748"   "5664195").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:48
S10 4	24	("5987605").URPN.	USPAT	OR	OFF	2005/01/06 15:50
S10 5	11	("5867702").URPN.	USPAT	OR	OFF	2005/01/06 15:53
S10 6	29	("5860001").URPN.	USPAT	OR	OFF	2005/01/06 15:54
S10 7	12	("5276832"   "5448716"   "5642506"   "5655149"   "5790850"   "5848367"   "5860002"   "5867702"   "5904733"   "6009521"   "6058475"   "6108781").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 15:56
S10 8	19	("4943911").URPN.	USPAT	OR	OFF	2005/01/06 16:01
S10 9	34	("4720812").URPN.	USPAT	OR	OFF	2005/01/06 16:04
S11 0	4	("5999476").URPN.	USPAT	OR	OFF	2005/01/06 16:07
S11 1	10	("5109521"   "5579522"   "5600766"   "5671413"   "5696926"   "5836013"   "5901310"   "5940871"   "6195107"   "6216225").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:10
S11 2	4	("5603011"   "5835761"   "5836013"   "5951685").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:13

S11 3	3	("5428528"   "5952932"   "6044136").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 16:14
S11 4	25	("5428528").URPN.	USPAT	OR	OFF	2005/01/06 16:15
S11 5	307	bootstrap adj (proceduer\$1 or function\$1 or code or instruction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:36
S11 6	36	S115 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S11 7	30	S116 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S11 8	10	S115 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:37
S11 9	5	S118 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:47
S12 0	17	("5068780").URPN.	USPAT	OR	OFF	2005/01/06 16:42
S12 1	75	(load\$3 or stor\$3) near5 S115	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:48
S12 2	14	S121 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:49
S12 3	11	S122 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:51

S12 4	7	S121 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:49
S12 5	3	S124 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 16:50
S12 6	7	("5235639").URPN.	USPAT	OR	OFF	2005/01/06 16:52
S12 7	44	("4663707").URPN.	USPAT	OR	OFF	2005/01/06 16:53
S12 8	9303	master near2 (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S12 9	5117	slave\$1 near2 (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:32
S13 0	16758	first adj (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S13 1	14447	second adj (processor\$ or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:33
S13 2	235	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S13 3	85	S132 same S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 4	56	S132 with S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38

S13 5	118	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 6	44	S132 same S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 7	40	S132 with S135	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:38
S13 8	368	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S13 9	144	(bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5) near5 S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:39
S14 0	48	S138 same S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:40
S14 1	38	S138 with S139	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:41
S14 2	18	S136 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:26
S14 3	11	S142 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:50
S14 4	7	S137 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45



S14 5	0	S144 with (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:51
S14 6	5	S140 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45
S14 7	1	S146 same (RAM or SRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:49
S14 8	0	S141 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:45
S14 9	2	S146 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:26
S15 0	11	S142 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:55
S15 1	0	S144 with (RAM or SRAM DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 08:52
S15 2	7	("5109484"   "5146568"   "5280627"   "5367688"   "5379431"   "5574915"   "5913058").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:08
S15 3	9	("5109329"   "5361362"   "5412803"   "5655082"   "5951683"   "5987506"   "6018782"   "6112230"   "6144995").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:09
S15 4	1	("5148516").URPN.	USPAT	OR	OFF	2005/01/07 09:11
S15 5	4	("5361365"   "5802003"   "6192469"   "6473853").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 09:13
S15 6	0	("5552981").URPN.	USPAT	OR	OFF	2005/01/07 09:14
S15 7	2	("5757639").URPN.	USPAT	OR	OFF	2005/01/07 09:15

S15 8	1941	central\$4 near3 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:21
S15 9	5	S158 same S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 0	3	S159 same S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:24
S16 1	2	S158 with S128	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:25
S16 2	0	S161 with S129	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:22
S16 3	1	S158 same S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 4	1	S163 same S131	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:25
S16 5	0	S158 with S130	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:23
S16 6	108	S158 same (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S16 7	41	S166 same (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:31

S16 8	50	S158 with (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S16 9	4	S168 with (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:27
S17 0	13953	(programmable adj logic adj device\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:33
S17 1	17550	(programmable adj logic adj device\$1) or PLD\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:41
S17 2	1876	(complex adj programmable adj logic adj device\$1) or CPLD\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:34
S17 3	20128	(field adj programmable adj gate adj array\$1) or FPGA\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:35
S17 4	454	(S171 or S172 or S173) near5 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42
S17 5	1	S174 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42
S17 6	1320350	(programmable adj logic adj array\$1) or PLA\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:41
S17 7	239576	(programmable adj array adj logic) or PAL\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:42

S17 8	2179	(S171 or S172 or S173 or S176 or S177) near5 (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S17 9	2	S178 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 0	6883	(S171 or S172 or S173 or S176 or S177) same (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 1	3665	(S171 or S172 or S173 or S176 or S177) with (bootstrap\$3 or (boot adj strap\$4) or boot\$3 or initializ\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:45
S18 2	44	S180 same ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:46
S18 3	1	S181 with ((multiple or many or more or plurality or multi) near2 (processor\$1 or microprocessor\$1 or CPU\$1) or multiprocessor\$1 or (multi adj processor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:46
S18 4	2	"5448716".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 14:40
S18 5	9	("5448716").URPN.	USPAT	OR	OFF	2005/01/07 14:41
S18 6	12	("4674033"   "5289585"   "5289588"   "5297265"   "5440698"   "5448716"   "5469549"   "5579504"   "5581734"   "5634037"   "5655102"   "5694538").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/07 14:49
S18 8	8	(identical or (the adj /same)) near5 ((boot or initializ\$5) adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:05
S18 9	3	(identical or (the adj /same)) near2 ((boot or initializ\$5) adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:03

S19 0	8	(identical or (the adj /same)) near5 (((boot or initializ\$5) adj code) or instrction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:08
S19 1	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:13
S19 2	1172	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) same S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:13
S19 3	323	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) with S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:14
S19 4	93	S192 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 11:14
S19 5	10	S193 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:46
S19 6	6	("4034349"   "5448716"   "5564060"   "5583987"   "5642506"   "5724527").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/08 11:23
S19 7	38	("5583987").URPN.	USPAT	OR	OFF	2005/01/08 11:35
S19 8	27	("4030073"   "4528634"   "4811219"   "4896289"   "5070450"   "5566325"   "5583987"   "5592616"   "5608876"   "5740399"   "5742758"   "5809531"   "5835695"   "5835784"   "5842012"   "5850152"   "5854937"   "5860021"   "5892943"   "5918047"   "5987537"   "5999989"   "6009522"   "6014744"   "6101600"   "6154838"   "6216224").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/08 11:48
S19 9	30	("5070450").URPN.	USPAT	OR	OFF	2005/01/08 11:59

S20 0	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 12:59
S20 1	4	S200 same (different near2 memor\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 12:52
S20 2	20	("5155833").URPN.	USPAT	OR	OFF	2005/01/08 12:56
S20 3	466286	((multiple or many or more or plurality or multi) near2 (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM) or (RAM or SRAM or DRAM or SDRAM or DPRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:01
S20 4	13929	((multiple or many or more or plurality or multi) near2 (((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:09
S20 5	16545	((multiple or many or more or plurality or multi) near2 (RAM or SRAM or DRAM or SDRAM or DPRAM))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:02
S20 6	2	S200 same (S204 or S205)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:03
S20 7	127397	((((non adj volatile) or flash) adj memor\$3) or ROM or PROM or EPROM or EEPROM) near5 (RAM or SRAM or DRAM or SDRAM or DPRAM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:12
S20 8	877	S207 same S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:13
S20 9	345	S207 with S191	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:14

S21 0	22	S207 same S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:17
S21 1	7	S207 with S200	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:14
S21 2	61	S208 same (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:18
S21 3	8	S209 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:17
S21 4	1	S212 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 5	5	S208 same selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 6	0	S209 with selective\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/08 13:20
S21 7	2	"5155833".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 07:59

S21 8	33	("4070704"   "4195341"   "4236207"   "4257097"   "4313158"   "4354225"   "4371929"   "4419725"   "4430704"   "4439829"   "4442488"   "4459662"   "4545016"   "4580240"   "4590556"   "4608631"   "4631668"   "4654819"   "4663707"   "4679166"   "4680702"   "4685082"   "4719568"   "4720812"   "4727484"   "4740889"   "4779189"   "4780808"   "4788656"   "4794524"   "4819154"   "4868738"   "4899275").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 07:59
S21 9	20	("5155833").URPN.	USPAT	OR	OFF	2005/01/10 08:01
S22 0	1	"5388267".pn.	USPAT	OR	OFF	2005/01/10 08:01
S22 1	129	("5388267").URPN.	USPAT	OR	OFF	2005/01/10 08:02
S22 2	21	("4270205"   "5321840"   "5325529"   "5388267"   "5519843"   "5522076"   "5535357"   "5535419"   "5579522"   "5603056"   "5606662"   "5675748"   "5727207"   "5734898"   "5752042"   "5778070"   "5826015"   "5960445"   "5964873"   "6009524"   "6026016").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/10 08:16
S22 3	2	"5432927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:18
S22 4	49	("5432927").URPN.	USPAT	OR	OFF	2005/01/10 08:19
S22 5	21578	(boot\$3 or initializ\$5 or bootstrap\$4) near5 (processor\$1 or microprocessor\$1 or CPU\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:47
S22 6	323	(parallel or (in adj parallel) or simultaneous\$2 or concurrent\$2 or (at adj the adj /same adj time)) with S225	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:47
S22 7	10	S226 with (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:52



S22 8	1	S227 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S22 9	4390	(selective\$2 or alternative\$2) near5 (boot\$3 or initializ\$5 or bootstrap\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S23 0	163	S229 and 713/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:48
S23 1	44	S230 and (master or slave\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 08:52